

Git yourself a leg up for student projects

Renee Noble Cloud Advocate



Hil'm Renee!

I like many things and have many jobs!



Especially if they = Tech + Education + Community

I'm a Cloud Advocate at...



I get to tell cool people how to do cool things with tech!

...like I'll do now!



But it doesn't stop there! I also run a business And a charity And teach! Tech Inclusion ConnectEd Code Girls' LADIES' COLLEGE Programming YDNEY Network

nee I'm all about Tech + Education + Community

reneenoble.com

Today l've got some tech for your teaching and your community!



In this session

- Git: Friend of Foe
- Go shopping with Git
- GitHub tools for better projects

Many tools, one solution!

We'll cover a lot of tech today, but it all comes together!

Git: Friend of Foe?

Do you use Git/Github?

Did you find it tricky to learn git at the start?

Do you <u>want</u> to teach Git to students?

Do you think teaching Git to students is hard?

My own Git journey






Let's take Git from the top!

Let's talk layers!

@noblerenee reneenoble.com


Version Control



Version Control

Systems that... make sure your files don't look like this→

Includes ways to back up your files online, compare code, and more.



Git

One implementation of version control

- Most common
- Uses branches
- Lots of integrations
- Lots of platforms that support it


git

Git – How?

<pre>1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4</head></html></pre>	<pre>1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4</head></html></pre>
<pre>8 <title>Translator</title> 9 10 <body> 11 <div class="container"> 12 <hl>Translation service</hl> 13 <div>Enter the text you wish to translate, choose the language, and click Translate! </div></div></body></pre>	<pre>9 <title>Translator</title> 10 11 <body> 12 <div class="container"> 13 <hl>Write a letter to your penpal in your own language!</hl> 14 <div>Enter the text you wish to translate, choose the language, and click Translate!</div></div></body></pre>
<pre>V> 14 *div> 15 <form method="POST"> 16 <div class="form-group"> 17 <textarea class="form-control" cols="20" name="text" rows="10"></textarea> 18 */div> 19 <div class="form-group"> 20 <label for="language">Language:</label> 21 <select class="form-control" name="language"> 22 <select class="form-control" name="language"> 23 <option value="en">English</option> 23 <option value="it">Italian</option> 24 <option value="it">Italian</option> 25 <option value="ru">Russian</option> 26 <option value="de">German</option> </select></select></div></div></form></pre>	<pre>v> 15 </pre> 15 16 <form method="POST"> 17 17 18 19 10 19 19 10 <</form>
<pre>27 </pre> 28 29 30 40 <td><pre>26</pre></td>	<pre>26</pre>
31 32 33 34 35 36	34 35 36 37 38 39

GitHub A platform that supports Git projects

- Connects to your local files, to back them up online
- Make teams to share files/projects
- Tools work with others
- Tools to look at your code
- Integrates with other platforms



How can students understand all of this???

It's time for a shopping analogy!

Let's learn:

- Add
- Commit
- Push




















Step 1 – Browse (code + save)

Your shopping trip starts with ...shopping! Find things and put it in your trolley.

This is equivalent to you doing your coding in your projects. Git keeps track of the things you change.



Step 1 – Browse (code + save)

You can put things back on the shelf any time.

Do your **coding** like you normally do. Adding, removing, whatever you like. Putting something in your trolley is like **save**.



Step 2: At the register (add)

When you have some items you <u>definitely</u> want, you go to the register.


Put them on the conveyer belt!



Step 2: At the register (add)

You don't have to buy all of your items at once!

You can keep some in your trolley for later. (Or to buy in a second transaction)






Step 2: At the register (add)

This step is like

git add

You can stage all the files (or parts of tiles) you want to commit in the next step.





Step 3 – Purchase (Commit)

When you've put through the items you want to buy, it's time to <u>purchase</u>!

Before you purchase it's easy to say "actually no thanks to ... the shoes"



Step 3 – Purchase (Commit)

Completing the purchase creates a record/receipt.

If you need to undo the transaction you can.



Step 3 – Purchase (Commit)

This step is like

git commit

You add the changes you made to the logs with:

git commit -m "<description of my commit>"



Step 4 – Instagram (Push)

When you want the rest of the world to know about your shopping trip... post it to social media!



Step 4 – Instagram (Push)

When you want the rest of the world to know about your shopping trip... post it to social media!

Wait until you've finished your shopping trip and post it all as one?



Step 4 – Instagram (Push)

This step is like

git push

If you're working alone, (no one follows your socials), not much can go wrong & your stuff is backed up

If you're working in a team, going back might be tricky.




So now you know Git? What next?


Git is just the start for more projects!

I love storing stream code on GitHub, but also storing templates* to follow along with during streams.

IYOUR NAME1 [YOUR TITLE, or aspiring title] Contact me. [A BLURB ABOUT YOU AND YOUR GOALS] Lorem ipsum dolor sit amet, consectetur adipiscing email@example.com elit, sed do eiusmod tempor incididunt ut labore et dolore magna aligua. Ut enim ad minim veniam, guis nostrud exercitation ullamco laboris nisi ut aliguip ex ea commodo conseguat. Qusername 🗑 @twitter_bandle 🖬 Your name on LinkdIn My Projects **IPROJECT TITLE** [PROJECT DESCRIPTION] Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo conseguat Add a screen shot Technology of your project Technology 1 (eg. Python) Technology 2 (eg. Flask) Technology 3 (eg. Azure Cognitive Services) here.

Lots of engagement!







TARES

SAINE

HALSE

LAPSE

Lorem Ipsum dolor sit amet, consectetur adipiscing elit, sed do elusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

O

3

() {≦

G

()

...

....

Technology

- Python
- Flask
- Azure App Service

EH5

AN Œ

57

Azure Blob



Langauge Translation Web App

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Technology

- Python
- Flask
- MatplotLib
- Azure Machine Learning Studio
- NLP

GitHub Repo

Ln 1, Col 1 Spaces: 4 UTF-8 LF HTML Layout: U.S. 🔗 🗘

Video of final github page

My stream viewers loved it!

What about students?

My stream viewers loved it!

What about students?

It was met with some confusion...



My stream viewers loved it!

What about students?

It was met with some confusion...

But with some new tools, there's a new way!

111

An easy little win!

GitHub templates

Lose the commit history!

Loose the upstream concerns

"Fork" you're own

● ● ● ■ □ ○ General × ○ friendly-c: × □	Carla and $ \times \bigcirc$ didactic-r($\times \bigcirc$ My App $\times \bigcirc$	🎝 Troublesh x 🗅 My App x 🔍 github dif x 🖹 GitHub: W x 🖓 GitHub x +
← C බ ⊡ https://github.com/reneenoble/pro	ject-web-app/settings	표 A @ ☆ 🛛 🗘 ¢ 🗅 🕼 🗞 🦉 ";
The reneenable / project-we		
<> Code 💿 Issues 🏦 Pull requ	iests 🕑 Actions 🛗 Projects	🖾 Wiki 🙂 Security 🗠 Insights 🛛 😶
钧 General	General	
Access	Repository name	
R Collaborators	project-web-app	Rename
\bigtriangledown Moderation options \checkmark	Template repository	
Code and automation		te new repositories with the same directory structure and files. Learn more about
႕ Branches	Require contributors to sign of	off on web-based commits
😳 Tags	Enabling this setting will require contribut	butors to sign off on commits made through GitHub's web interface. Signing off is a
E₁ Rules ∨	way for contributors to affirm that their co of Origin (DCO). Learn more about signin	commit complies with the repository's terms, commonly the Developer Certificate ning off on commits.
Actions ~		
🔏 Webhooks	Default branch	
		* 🔊 🝙 🔜 🧰 💿 🝙 🛛 📼 📼 📰 📰 📰 🖤

🍅 💷 🗣 📜 🗣

Let's make a better project scaffold!

We'll use it all!

- GitHub
- GitHub Templates
- Codespaces
- Copilot (for us!)
- GitHub Actions



Speed run making a flask app! Thanks to Codespaces and Copilot!



b

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.

Required field	are marked	with an	asterisk	(*).
----------------	------------	---------	----------	------

① Single sign-on to see results in the microsoft organization.

Repository template

No template 🔻

Start your repository with a template repository's contents.

choose an owner 👻 🖌	
Filter	emorable. Need inspiration? How about symmetrical-system ?
A reneenoble	
😭 ConnectEd-Code	
큤 demo-org1-rn	
Girls-Programming- Network	ne available visibility options.
🝈 in-the-code-garden	
MicrosoftCopilot (Insufficient permission)	ption for your project. Learn more about READMEs.
ncss (Insufficient permission)	

Choose a license

License:None -

A license tells others what they can and can't do with your code. Learn more about licenses.

Adding testing with ease! Thanks to Copilot, VS Code Flask tools, and GitHub Actions

• • •	🗖 🔿 project-web-app/ at ma	ain•ren × Q	about.html — p	project-web-app	х 🗅 Му Арр	× +	-														
$\in C$	nttps://fluffy-spa	ace-disco-wj66	r4x976fx69.g	ithub.dev					BH A	$d_{y} \oplus$	ŵ	0	3	¢D s	<u>^</u> ⊕	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	8	··• 🕩			
\equiv	EXPLORER		🕈 serve	er.py 5, U	J 🗘 inde	x.html U	# style.css U	about.html U	×							ໃ	1 I	0			
	 PROJECT-WEB-AP static style.css templates about.html index.html .gitignore README.md requirements server.py 	U U New F New F Open Share	1 2 3 4 5 ile folder	Se<br DOCTY<br <html 1<br=""><he< td=""><td>YPE html> lang="en"> ead> <meta chars<="" td=""/><td><pre>html welco et="UTF-8"> my css st ylesheet' nembers an</pre></td><td>ome page for my fl cyle.css file> ' href="<u>static/sty</u> re PUT YOUR NAMES bout {{ acti</td><td>/le.css"> <!-- Ju<br-->HERE</td><td>st a</td><td>bit</td><th>short</th><td>er, f</td><td>or stu</td><td>udent</td><th>s to</th><th>undeı</th><td>Triburns</td><td>The second second</td></td></he<></html>	YPE html> lang="en"> ead> <meta chars<="" td=""/> <td><pre>html welco et="UTF-8"> my css st ylesheet' nembers an</pre></td> <td>ome page for my fl cyle.css file> ' href="<u>static/sty</u> re PUT YOUR NAMES bout {{ acti</td> <td>/le.css"> <!-- Ju<br-->HERE</td> <td>st a</td> <td>bit</td> <th>short</th> <td>er, f</td> <td>or stu</td> <td>udent</td> <th>s to</th> <th>undeı</th> <td>Triburns</td> <td>The second second</td>	<pre>html welco et="UTF-8"> my css st ylesheet' nembers an</pre>	ome page for my fl cyle.css file> ' href=" <u>static/sty</u> re PUT YOUR NAMES bout {{ acti	/le.css"> Ju<br HERE	st a	bit	short	er, f	or stu	udent	s to	undeı	Triburns	The second			
		5.7	Folder Se ve Folder	.76	orkspace	_															
		Find ir	n Folder	•	令てF																
		Paste			жV																
8			Download				BUG CONSOLE TERMINAL PORTS 2 COMMENTS 3:06:38] "GET /static/style.css HTTP/1.1" 304 -									+ ~ … ^ > ∎					
£63	> OUTLINE > TIMELINE	Сору	Path		C#C		GET /about HTTP/1. GET /static/style.		-							(P)	rthon				
× Coo	despaces 🎖 main*	Copy	Relative I	Path	Oポブ			Ln 16, Col 8 Sp	aces:	4 l	JTF-8	LF	HTML	83	Layou	it: U.S	ন্দ	٦ Q			

How your *students* will see it in action Thanks to GitHub templates

← C බ ⊡ https://github.com/ren	eenoble/project-web-app	A»	• ⊕ ☆ ഥ ☆ ᠬ ∰ 🏵 InPrivate 🦕
= C reneenable / project-we	eb-app	Q Type // to search	>_ + • O II @ 1
<> Code 💿 Issues 🏦 Pull req	uests 🕑 Actions 🖽 Projects	🕑 Security 🛛 🗠 Insights	
	emplate	• Watch 1	
우 main -	Go to file Add file -	<> Code - Use this template -	About
reneenoble Create python-ap	p.yml	× 13d4062 yesterday 🕑7 commits	a template to build your web app from for your assignment
.github/workflows	Create python-app.yml	yesterday	D Readme
.vscode	Create tests for helper functions	yesterday	-∿- Activity ☆ 0 stars
🖿 static 🏷	base website	2 days ago	 1 watching
templates	base website	2 days ago	양 0 forks
🗅 .gitignore	Initial commit	2 days ago	Report repository
README.md	Update README.md	2 days ago	
helper_functions.py	Stubs for helper functions	yesterday	Releases
requirements.txt	Create tests for helper functions	yesterday	No releases published
🗅 server.py	base website	2 days ago	
test_helper_functions.py	Create tests for helper functions	yesterday	Packages


Take Aways Git, GitHub and many tools...

are friend to you and your students!



Take Aways Git doesn't have to seem so scary...

if you treat it like a shopping trip!



Take Aways Just a little git set up...

Can *git* you and your students a leg up in the classroom!



More stuff for you and your students!

Check out my website for...

Aka.ms/renee-pycon2023

- A Cloud Skills Challenge
- Videos on Git, Python, and web dev
- Links to Imagine Cup and Imagine Cup Junior
- Links to Microsoft Learn Student Ambassadors
- Links to Founders Hub



Discovering Templates Main topic 1: size 36pt Size 28pt for second level Size 24pt for third level Size 22pt for fourth level Size 22 for fifth level Discovering Templates Main topic 1: size 36pt Size 28pt for second level Size 24pt for third level Size 22pt for fourth level Size 22 for fifth level Discovering Templates Main topic 1: size 36pt Size 28pt for second level Size 24pt for third level Size 22pt for fourth level Size 22 for fifth level

Slide palette info

The PowerPoint palette for this template has been built for you and is shown below. Avoid using too many colors in your presentation.



"Don't believe everything you've seen on the internet."

-Abraham Lincoln

Bullet points layout with subtitle Subtitle is smaller in the same text block

- Example of a bulleted slide with a subhead
 - Set the slide title to "Sentence case"
 - Set subheads to "Sentence case"
- Hyperlink style
 - <u>www.microsoft.com</u>

Sample content slide 1

Lorem ipsum dolor

Sed ut perspiciatis unde omnis iste nat error sit voluptatem accusantium aperiam, eaque ipsa quae inventore veritatis et quasi architecto beatae.

Sit amet consectetur

Sed ut perspiciatis unde omnis iste nat error sit voluptatem accusantium aperiam, eaque ipsa quae inventore veritatis et quasi architecto beatae.



Sample content slide 2









Lorem ipsum dolor sit amet, consectetur adipiscing elit do **Sed ut** dolor sit amet, consectetur adipiscing elit do **Et quasi** dolor sit amet, consectetur adipiscing elit do

Vel illum dolor sit amet, consectetur adipiscing elit do

Sample mobile app slide





App screenshots can be placed behind these transparent .pngs

Sample website slide (Google Chrome)

			0			Θ	_		×	
$\begin{array}{c c} New Tab & x \\ \leftarrow & C \\ Q \end{array}$						X	7 6		:	
Apps For quick access, place your bookma	rks here on the bookmarks bar	. Import bookmarks now				~				
					Gmail In	nages		0		
									_	
		C							- 1	
		GO	ogle						- 1	
			3						- 1	
	Search Google or typ	be URL		Ŷ					- 1	
									- 1	
	G Google	Pinterest	Welcome to Google	Chrome Web Store						
			Welcome to Chrome						- 1	
			n . A						- 1	
				10.320 IN 10					- 1	
									- 1	
					1					
					Search States					

Sample website slide (blank)





Å Å

((ío

 \times

Bit illustration library













Bit illustration library



Bit illustration library
















Docs


















Thought bubbles



Click to add text







Developer code slide

<add code here>





© Copyright Microsoft Corporation. All rights reserved.



Thank you!



Notes (hidden)

- Some speakers at Microsoft like to use this slide for hidden "notes slides".
- Delete it if you don't want to use it.

